

Experiences of Relationships and Sex Education, and sexual risk-taking

Young people's views from LSYPE2

Appendices

November 2021

Hazel Stewart, Marguerite Adewoye, Rushda Khandker, David Bayliss

Department for Education



Contents

| Appendices | 3 |
|---|--------|
| Appendix A | 3 |
| Table 1: Did you learn about sexual matters at all from? | 4 |
| Table 2: If young people learnt about sexual matters from parents or school | 5 |
| Table 3: Stage of school young people received SRE by their sexual risk-taking behaviours | 6 |
| Table 4: Thinking back to when you were at school, when did you receive Sex and Relationships Education? | 7 |
| Table 5: How useful was the Sex and Relationships Education you received at school i preparing you for adult life and your own relationships? | n 9 |
| Table 6: Which, if any, of these things have you discussed as part of any lessons at school? | 11 |
| Table 7: Have you ever had sexual intercourse with someone? | 13 |
| Table 8: How old were you when you first had sexual intercourse (for those who are sexually active)? | 14 |
| Table 9: Have you ever had sex without using precautions or contraception (for those who are sexually active)? | 15 |
| Table 10: How often would you say you have sex without using precautions or contraception (for those who are sexually active)? | 16 |
| Table 11: Which precautions or forms of contraception do you use most regularly? | 17 |
| Table 12: Have you ever contracted a sexually transmitted infection (for those who are sexually active)? | 18 |
| Table 13: Association of wellbeing to sexual risk-taking behaviours | 19 |

Appendices

All findings are based on the Longitudinal Study of Young People in England 2.

The full methodology of this analysis including details of statistical tests and an introduction to the LSYPE2 study can be found in the main research report.

Appendix A

The following 11 survey questions were used in wave 6 of LSYPE2 to form the basis of the findings discussed in the research brief.

- 1. First of all we would like to ask where you learnt about sexual matters. Would you say you learnt about them at all from...?
- 2. Did you also learn about sexual matters at all from...?
- 3. Thinking back to when you were at school, when did you receive Sex and Relationships Education?
- 4. How useful was the Sex and Relationships Education you received at school in preparing you for adult life and your own relationships?
- 5. Have you ever had sexual intercourse with someone?
- 6. How old were you when you first had sexual intercourse?
- 7. Which of these precautions or forms of contraception do you use most regularly?
- 8. Which other precautions or forms of contraception do you use most regularly?
- 9. Have you ever had sex without using precautions or contraception? Please do not include any times when you might have been trying for a baby.
- 10. Have you ever contracted a sexually transmitted infection (such as Chlamydia, gonorrhoea or genital warts)?
- 11. Did you receive treatment for it?

Table 1: Did you learn about sexual matters at all from?

| | Lessons at school % | Friends % | The internet % | Parents, siblings and other family members | Sexual Partners % | Unweighted base |
|---------------------------|---------------------------|--------------------|--------------------|--|-------------------------|--------------------|
| Total | 83.7 (+/- 1.0) | 70.6 (+/- 1.2) | 54.2 (+/- 1.3) | 44.9 (+/- 1.3) | 44.4 (+/- 1.3) | 6825 |
| Heterosexual / straight | 84.7 (+/- 1.0) | 70.8 (+/- 1.3) | 52.5 (+/- 1.4) | 44.9 (+/- 1.4) | 44.5 (+/- 1.4) | 6082 |
| Gay / lesbian | 69.9 (+/- 7.6) | 72.9 (+/- 7.4) | 72 (+/- 7.4) | 38.7 (+/- 8.1) | 42 (+/- 8.2) | 181 |
| Bisexual | 75.3 (+/- 4.6) | 71.9 (+/- 4.8) | 68.3 (+/- 5.0) | 48.1 (+/- 5.3) | 48.5 (+/- 5.3) | 441 |
| Other | 83.1 (+/- 9.2) | 59.3 (+/- 11.8) | 68.2 (+/- 11.3) | 49.4 (+/- 12.0) | 29.8 (+/- 11.2) | 87 |
| Main parent non-religious | - | - | - | 49.3 (+/- 2.5) | - | 1954 |
| Main parent religious | - | - | - | 41.2 (+/- 2.0) | - | 5247 |

^{&#}x27;-' values either unavailable, or use different measurements, and are thus not comparable to other cohorts.

Table 2: If young people learnt about sexual matters from parents or school

| | Both school and parents | Either school or parents | No reputable sources % | Unweighted base |
|----------------------------|-------------------------|--------------------------|------------------------------|--------------------|
| Total | 38.8 (+/- 1.3) | 51.0 (+/- 1.4) | 10.2 (+/- 0.8) | 6809 |
| Heterosexual / straight | 39.0 (+/- 1.4) | 51.7 (+/- 1.4) | 9.3 (+/- 0.8) | 6071 |
| Gay / lesbian | 31.9 (+/- 7.7) | 44.5 (+/- 8.2) | 23.6 (+/- 7.0) | 182 |
| Bisexual | 39.5 (+/- 5.2) | 44.4 (+/- 5.3) | 16.1 (+/- 3.9) | 441 |
| Other | 43.4 (+/- 12.2) | 44.6 (+/- 12.2) | 12.0 (+/- 8.0) | 83 |

Table 3: Stage of school young people received SRE by their sexual risk-taking behaviours

| | In primary school % | In secondary school % | In both primary and secondary school | I didn't have any SRE at school % | Unweighted base |
|---|------------------------------|--------------------------------|--------------------------------------|---|-----------------|
| Total who received SRE at each stage | 12.6 (+/- 0.9) | 35.3 (+/- 1.3) | 48.6 (+/- 1.3) | 3.5 (+/- 0.5) | 6848 |
| Young people who had sex before the age of 16 | 29.7 (n=173) (+/- 4.2) | 23.1 (n=362) (+/- 2.4) | 24.2 (n=536) (+/- 2.0) | 35.2 (n=56) (+/- 8.7) | 4526 |
| Sexually active young people who had had sex without using precautions or contraception | 49.2 (n=298) (+/- 4.5) | 41 (n=665) (+/- 2.7) | 44.2 (n=1005) (+/- 2.3) | 56.9 (n=91) (+/- 8.7) | 4659 |
| Young people who had contracted an STI | 5.3 (n=32) (+/- 2.0) | 4 (n=65) (+/- 1.1) | 3.5 (n=80) (+/- 0.9) | 9.8 (n=16) (+/- 5.2) | 4673 |

Table 4: Thinking back to when you were at school, when did you receive Sex and Relationships Education¹?

| | received SRE | % who only received SRE in secondary school | % who received SRE in both primary and secondary | % of young people who did not receive any SRE in school | Unweighted base |
|--------------------------------|-------------------|---|--|---|--------------------|
| Total | 12.6 (+/- 0.9) | 35.3 (+/- 1.3) | 48.6 (+/- 1.3) | 3.5 (+/- 0.5) | 6848 |
| Male | 12.7 (+/- 1.3) | 36.7 (+/- 1.8) | 47.3 (+/- 1.9) | 3.3 (+/- 0.7) | 3473 |
| Female | 12.7 (+/- 1.3) | 33.9 (+/- 1.8) | 49.9 (+/- 1.9) | 3.6 (+/- 0.7) | 3331 |
| Non- disabled | 12.4 (+/- 1.0) | 36.1 (+/- 1.4) | 48.4 (+/- 1.5) | 3.1 (+/- 0.5) | 5728 |
| Disabled | 14.7 (+/- 2.5) | 30.6 (+/- 3.2) | 49.7 (+/- 3.5) | 5.0 (+/- 1.5) | 1040 |
| Heterose xual / straight | 12.6 (+/- 0.9) | 35.9 (+/- 1.4) | 48.2 (+/- 1.4) | 3.2 (+/- 0.5) | 6104 |
| Gay / lesbian | 15.4 (+/- 6.0) | 29.1 (+/- 7.5) | 47.8 (+/- 8.3) | 7.7 (+/- 4.4) | 182 |
| Bisexual | 13.0 (+/- 3.6) | 30.9 (+/- 4.9) | 52.5 (+/- 5.3) | 3.6 (+/- 2.0) | 440 |
| Other | 8.2 (+/- 6.7) | 28.2 (+/- 10.9) | 55.3 (+/- 12.1) | 8.2 (+/- 6.7) | 85 |
| Non- FSM eligible | 11.9 (+/- 1.1) | 33.4 (+/- 1.6) | 51.6 (+/- 1.7) | 3.1 (+/- 0.6) | 4244 |
| FSM eligible | 14.6 (+/- 1.8) | 38.9 (+/- 2.5) | 42.1 (+/- 2.5) | 4.3 (+/- 1.0) | 1891 |

| Main parent non-religious | 12.0 (+/- 1.6) | 34.6 (+/- 2.4) | 50.5 (+/- 2.5) | 3.0 (+/- 0.9) | 1963 |
|---|-------------------|-------------------|-------------------|---------------|------|
| Main parent Christian | 13.0 (+/- 1.2) | 34.6 (+/- 1.7) | 48.6 (+/- 1.8) | 3.8 (+/- 0.7) | 4030 |
| Main parent minority religious | 12.7 (+/- 2.6) | 40.6 (+/- 3.9) | 43.3 (+/- 3.9) | 3.4 (+/- 1.4) | 808 |
| In London | 16.3 (+/- 2.8) | 31.7 (+/- 3.5) | 49.6 (+/- 3.8) | 2.4 (+/- 1.2) | 849 |
| In the rest of England | 12.5 (+/- 1.0) | 35.4 (+/- 1.4) | 48.3 (+/- 1.5) | 3.8 (+/- 0.6) | 5511 |

 $^{^{1}}$ The curriculum now refers to the subject as "Relationships and Sex Education", but it was referred to as worded in the 2018 wave 6 questionnaire.

Table 5: How useful was the Sex and Relationships Education you received at school in preparing you for adult life and your own relationships?

| | Very useful % | Fairly useful % | Slightly useful % | Not at all useful % | Unweighted base |
|--------------------------------|-----------------------|-----------------------|-------------------------|---------------------------|-----------------|
| Total | 11.4 (+/- 0.9) | 37.3 (+/- 1.3) | 32.4 (+/- 1.3) | 18.8 (+/- 1.1) | 6598 |
| Heterosexual / straight | 11.6 (+/- 0.9) | 38.5 (+/- 1.4) | 32 (+/- 1.4) | 17.9 (+/- 1.1) | 5894 |
| Gay / lesbian | 6.6 (+/- 4.3) | 22.2 (+/- 7.2) | 36.5 (+/- 8.3) | 34.7 (+/- 8.2) | 167 |
| Bisexual | 10.1 (+/- 3.3) | 29 (+/- 4.9) | 36.3 (+/- 5.2) | 24.6 (+/- 2.2) | 427 |
| Other | 11.5 (+/- 8.1) | 34.6 (+/- 12.0) | 34.6 (+/- 12.0) | 19.2 (+/- 10.0) | 78 |
| Disabled | 12.3 (+/- 2.3) | 31 (+/- 3.3) | 32.7 (+/- 3.3) | 23.9 (+/- 3.0) | 990 |
| Non-disabled | 11.3 (+/- 1.0) | 38.6 (+/- 1.5) | 32.4 (+/- 1.4) | 18.7 (+/- 1.1) | 5536 |
| Main parent non-religious | 12.4 (+/- 1.7) | 35.1 (+/- 2.4) | 32.6 (+/- 2.4) | 19.9 (+/- 2.0) | 1900 |
| Main parent Christian | 9.8 (+/- 1.1) | 37.6 (+/- 1.7) | 33.5 (+/- 1.7) | 19.1 (+/- 1.4) | 3875 |
| Main parent minority religious | 16.5 (+/- 3.0) | 41.4 (+/- 4.0) | 26.5 (+/- 3.5) | 15.6 (+/- 2.9) | 776 |
| FSM-eligible | 14.7 (+/- 1.9) | 37.8 (+/- 2.6) | 28.8 (+/- 2.4) | 18.7 (+/- 2.1) | 1801 |
| Non-FSM- eligible | 10.0 (+/- 1.0) | 37.6 (+/- 1.7) | 33.8 (+/- 1.6) | 18.6 (+/- 1.4) | 4114 |

| From London | 14.8 (+/- 2.7) | 38.9 (+/- 3.8) | 28.3 (+/- 3.5) | 17.9 (+/- 3.0) | 836 |
|--------------------------|-------------------|-------------------|-------------------|-------------------|------|
| From the rest of England | 11.1 (+/- 1.0) | 37.4 (+/- 1.5) | 32.8 (+/- 1.4) | 18.7 (+/- 1.2) | 5294 |
| Binge drinking | 9 (+/- 1.0) | 33.2 (+/- 1.7) | 36.3 (+/- 1.7) | 21.5 (+/- 1.5) | 3788 |
| Non-binge drinking | 12.6 (+/- 1.8) | 43.6 (+/- 2.7) | 29.4 (+/- 2.5) | 14.4 (+/- 1.9) | 1723 |
| Male* | 12.2 (+/- 1.3) | 38.5 (+/- 1.9) | 30.9 (+/- 1.8) | 18.4 (+/- 1.5) | 3348 |
| Female* | 10.4 (+/- 1.2) | 36.2 (+/- 1.9) | 34.1 (+/- 1.9) | 19.3 (+/- 1.6) | 3212 |

^{*}Gender differences not summarised in body of report as there was no significant difference between males and females in perceptions of usefulness of SRE.

Table 6: Which, if any, of these things have you discussed as part of any lessons at school?

| | Sexually transmit ted disease s % | Using condom s/the pill % | How to say no to sex % | Gay/les bian relation ships % | Relation ships % | None of these % | Unweigh ted base |
|-----------------------------------|---|------------------------------------|---------------------------------|---|------------------------|-----------------------|---------------------|
| Total | 80.5 (+/- 1.1) | 79.4 (+/- 1.1) | 58.6 (+/- 1.3) | 51.1 (+/- 1.4) | 73.6 (+/- 1.3) | 7.4 (+/- 0.7) | 6803 |
| SRE was 'Very useful' | 79.9 (+/- 3.3) | 78.9 (+/- 3.3) | 61.6 (+/- 4.0) | 58.1 (+/- 4.0) | 81.5 (+/- 3.3) | 5.9 (+/- 1.9) | 744 |
| SRE was 'Fairly useful' | 82.6 (+/- 1.7) | 81.6 (+/- 1.8) | 63.7 (+/- 2.2) | 55.9 (+/- 2.3) | 79.7 (+/- 1.9) | 5.6 (+/- 1.0) | 2425 |
| SRE was 'Slightly useful' | 84.6 (+/- 1.8) | 84.1 (+/- 1.8) | 60.4 (+/- 2.4) | 49.4 (+/- 2.4) | 73.9 (+/- 2.2) | 5.1 (+/- 1.1) | 2101 |
| SRE was 'not at all useful' | 75.8 (+/- 2.7) | 73.3 (+/- 2.8) | 49.1 (+/- 3.2) | 44.1 (+/- 3.2) | 62.6 (+/- 3.2) | 11.7 (+/- 2.1) | 1227 |
| Disabled | 78.7 (+/- 2.8) | 78.4 (+/- 2.9) | 54.9 (+/- 3.5) | 45.5 (+/- 3.5) | 70.6 (+/- 3.3) | 7.9 (+/- 1.9) | 1034 |
| Non- disabled | 80.8 (+/- 1.2) | 79.4 (+/- 1.2) | 59.1 (+/- 1.5) | 52.1 (+/- 1.5) | 74.1 (+/- 1.4) | 7.3 (+/- 0.8) | 5691 |
| Male | 80.1 (+/- 1.5) | 79.1 (+/- 1.5) | 58.6 (+/- 1.9) | 51.3 (+/- 1.9) | 71.8 (+/- 1.8) | 7.3 (+/- 1.0) | 3459 |
| Female | 80.9 (+/- 1.5) | 79.6 (+/- 1.6) | 58.5 (+/- 1.9) | 50.7 (+/- 1.9) | 75.5 (+/- 1.7) | 7.5 (+/- 1.0) | 3308 |

| London | 75.7 (+/- 3.3) | 74.3 (+/- 3.3) | 51.4 (+/- 3.8) | 53.0 (+/- 3.8) | 72.2 (+/- 3.6) | 10.3 (+/- 2.3) | 853 |
|---------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|------|
| The Rest of England | 80.6 (+/- 1.2) | 79.7 (+/- 1.2) | 59.5 (+/- 1.5) | 51.6 (+/- 1.5) | 74.3 (+/- 1.4) | 7.0 (+/- 0.8) | 5474 |
| Non- | 84.0 | 82.9 | 60.8 | 53.0 | 75.8 | 5.9 | 4246 |
| FSM eligible | (+/- 1.3) | (+/- 1.3) | (+/- 1.7) | (+/- 1.7) | (+/- 1.5) | (+/- 0.8) | |

Table 7: Have you ever had sexual intercourse with someone?

| | 2009 | | | | 2018 | | |
|-------|-----------------------|-----------------------|------------------|-----------------------|-----------------------|-----------------|--|
| | Yes | No | Unweighted based | Yes | No | Unweighted base | |
| Total | 83.3 (+/- 0.9) | 16.7 (+/- 0.9) | 8952 | 69.6 (+/- 1.2) | 30.4 (+/- 1.2) | 6782 | |

Table 8: How old were you when you first had sexual intercourse (for those who are sexually active)?

| | 2009 | | | 2018 | | |
|---------------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|--------------------|
| | Before age 16 % | 16 or later % | Unweighted based | Before age 16 % | 16 or later % | Unweighted base |
| Total | 34.4 (+/- 1.3) | 65.6 (+/- 1.3) | 7088 | 24.9 (+/- 1.4) | 75.1 (+/- 1.4) | 4547 |
| Disabled | 35.5 (+/- 4.8) | 64.5 (+/- 4.8) | 488 | 33.9 (+/- 4.0) | 66.1 (+/- 4.0) | 690 |
| Non- disabled | 34.4 (+/- 1.3) | 65.6 (+/- 1.3) | 6542 | 23.4 (+/- 1.5) | 76.6 (+/- 1.5) | 3819 |
| FSM- eligible | - | - | - | 30.8 (+/- 3.0) | 69.2 (+/- 3.0) | 1175 |
| Non- FSM- eligible | - | - | - | 23.3 (+/- 1.8) | 76.7 (+/- 1.8) | 2884 |
| Binge drinking | 35.2 (+/- 1.3) | 64.8 (+/- 1.3) | 6307 | 27.4 (+/- 1.8) | 72.6 (+/- 1.8) | 3122 |
| Non- binge drinking | 25.7 (+/- 4.6) | 74.3 (+/- 4.6) | 456 | 18.8 (+/- 2.6) | 81.2 (+/- 2.6) | 1104 |

^{&#}x27;-' values either unavailable, or use different measurements, and are thus not comparable to other cohorts.

Table 9: Have you ever had sex without using precautions or contraception (for those who are sexually active)?

| | 2009 | | | 2018 | | |
|--|-----------------------|-----------------------|-----------------|-----------------------|-----------------------|-----------------|
| | Yes % | No % | Unweighted base | Yes % | No % | Unweighted base |
| Total | 46.9 (+/- 1.3) | 53.1 (+/- 1.3) | 7399 | 44.1 (+/- 1.6) | 55.9 (+/- 1.6) | 4685 |
| Heterosexual / straight | 33.8 (+/- 1.3) | - | - | 43.5 (+/- 1.7) | 56.5 (+/- 1.7) | 4180 |
| Gay / lesbian | 42.6 (+/- 10.3) | - | - | 58.7 (+/- 9.8) | 41.3 (+/- 9.8) | 126 |
| Bisexual | 40.4) (+/- 9.1) | - | - | 48.3 (+/- 6.1) | 51.7 (+/- 6.1) | 331 |
| Other | 33.3 (+/- 30.4) | - | - | 39.5 (+/- 17.7) | 60.5 (+/- 17.7) | 38 |
| YP who identify with gender assigned at birth | - | - | | 44.0 (+/- 1.6) | 56.0 (+/- 1.6) | 4626 |
| YP who do not identify with gender assigned at birth | - | - | | 67.7 (+/- 18.8) | 32.3 (+/- 18.8) | 31 |
| Drug-using | - | - | - | 65.7 (+/- 3.7) | 34.3 (+/- 3.7) | 827 |
| Non-drug using | - | - | - | 39.3 (+/- 1.8) | 60.7 (+/- 1.8) | 3835 |

^{&#}x27;-' values either unavailable, or use different measurements, and are thus not comparable to other cohorts.

Table 10: How often would you say you have sex without using precautions or contraception (for those who are sexually active)?

| | 2009 | | | | | | |
|--------------------------------|--------------------|-------------------------|----------------------|-----------------------|--------------------|--------------------|--|
| | Rarely % | Less than half the time | Around half the time | Most times % | Always % | Unweighted base | |
| Total | 62.3 (+/- 1.9) | 11.6 (+/- 1.2) | 9.1 (+/- 1.1) | 12.0 (+/- 1.2) | 5.0 (+/- 0.8) | 3399 | |
| | 2018 | | | | | | |
| | Rarely % | Less than half the time | Around half the time | Most times | Always % | Unweighted base | |
| Total | 51.5 (+/- 2.5) | 13.4 (+/- 1.7) | 11.9 (+/- 1.6) | 15.2 (+/- 1.8) | 8.0 (+/- 1.3) | 2052 | |
| Male | 47.5 (+/- 3.5) | 14.0 (+/- 2.4) | 12.9 (+/- 2.3) | 18.4 (+/- 2.7) | 7.3 (+/- 1.8) | 1045 | |
| Female | 55.7 (+/- 3.5) | 13.0 (+/- 2.4) | 10.8 (+/- 2.2) | 11.6 (+/- 2.3) | 8.8 (+/- 2.0) | 998 | |
| Heterose xual / straight | 52.1 (+/- 2.6) | 13.6 (+/- 1.8) | 12.2 (+/- 1.7) | 15.1 (+/- 1.9) | 7.0 (+/- 1.3) | 1804 | |
| Gay / lesbian | 29.3 (+/- 11.7) | 8.0 (+/- 7.0) | 8.0 (+/- 7.0) | 25.3 (+/- 11.2) | 29.3 (+/- 11.7) | 75 | |
| Bisexual | 56.3 (+/- 8.8) | 13.9 (+/- 6.2) | 11.4 (+/- 5.7) | 10.1 (+/- 5.4) | 8.2 (+/- 4.9) | 158 | |
| Other | 38.5 (+/- 30.2) | 15.4 (+/- 22.4) | 0 | 38.5 (+/- 30.2) | 7.7 (+/- 16.5) | 13 | |

Table 11: Which precautions or forms of contraception do you use most regularly?

| Contraception type | 2 | 009 | 2018 | | |
|-------------------------|-----------------------|--------------------|-----------------------|--------------------|--|
| | % | Unweighted base | % | Unweighted base | |
| Condom | 79.6 (+/- 1.1) | 7326 | 68.4 (+/- 1.5) | 4700 | |
| The Pill | 60.9 (+/- 1.3) | 6956 | 58.5 (+/- 1.6) | 4690 | |
| Emergency contraception | 12.7 (+/- 0.9) | 6784 | 12.9 (+/- 1.1) | 4678 | |
| Other | 10.3 (+/- 0.8) | 6993 | 14.9 (+/- 1.2) | 4684 | |

Table 12: Have you ever contracted a sexually transmitted infection (for those who are sexually active)?

| | 2009 | | | 2018 | | |
|--------------------------------|----------------------|-----------------------|-----------------|----------------------|-----------------------|--------------------|
| | Yes % | No % | Unweighted base | Yes % | No % | Unweighted base |
| Total | 5.1 (+/- 0.6) | 94.9 (+/- 0.6) | 7347 | 4.2 (+/- 0.7) | 95.8 (+/- 0.7) | 4698 |
| Heterosex ual / straight | - | - | - | 3.9 (+/- 0.7) | 96.1 (+/- 0.7) | 4190 |
| Gay / lesbian | - | - | - | 8.6 (+/- 5.5) | 91.4 (+/- 5.5) | 128 |
| Bisexual | - | - | - | 5.7 (+/- 2.8) | 94.3 (+/- 2.8) | 332 |
| Other | - | - | - | 7.5 (+/- 9.3) | 92.5 (+/- 9.3) | 40 |
| Binge- drinking | 5.3 (+/- 0.6) | 94.7 (+/- 0.6) | 6526 | 4.8 (+/- 0.8) | 95.2 (+/- 0.8) | 3191 |
| Non- binge- drinking | 2.5 (+/- 1.6) | 97.5 (+/- 1.6) | 472 | 2.6 (+/- 1.0) | 97.4 (+/- 1.0) | 1158 |
| Male | 3.4 (+/- 0.7) | 96.6 (+/- 0.7) | 3703 | 2.5 (+/- 0.7) | 97.5 (+/- 0.7) | 2344 |
| Female | 6.9 (+/- 0.9) | 93.1 (+/- 0.9) | 3643 | 5.9 (+/- 1.1) | 94.1 (+/- 1.1) | 2333 |

^{&#}x27;-' values either unavailable, or use different measurements, and are thus not comparable to other cohorts.

Table 13: Association of wellbeing to sexual risk-taking behaviours

| | % of all people who had sex before the legal age of consent | % of sexually active who had sex without using precautions or contraception | % who contracted an STI | Unweighted base |
|---|---|---|-------------------------|--------------------|
| Lower psychological distress at age 14/15 | 20.5% (+/- 1.8) | - | - | 3663 |
| Higher psychological distress at age 14/15 | 32.8% (+/- 3.4) | - | - | 1273 |
| Did experience high psychological distress between ages 16 and 19 | - | 48.6* (+/- 2.2) | 5.4** | * 2640 ** 2646 |
| Did not experience high psychological distress between ages 16 and 19 | - | 38.3* (+/- 2.4) | 2.6** (+/- 0.8) | * 2032 ** 2041 |

Source: Longitudinal Study of Young People in England: cohort 2, waves 2, 4, 5 and 6. This analysis only included those who had reported sexual activity before the age of 19/20.

^{&#}x27;-' values either unavailable, or use different measurements, and are thus not comparable to other cohorts.



© Department for Education 2021

Reference: DFE-RR1172

ISBN: 978-1-83870-318-9

For any enquiries regarding this publication, contact us at: Team.Longitudinal@education.gov.uk or www.education.gov.uk/contactus

This document is available for download at www.gov.uk/government/publications