

Appendix 4

Derived statistics likely to inform the 2007-08 widening participation allocation algorithms

Purpose

1. This appendix details the algorithms likely to be used in calculating the 2007-08 widening participation (WP) allocations.
2. This appendix is aimed at expert readers with in-depth knowledge of the data. Readers are advised to have a copy of the 'Specification of the individualised learner record for 2005/06' (available from the LSC) to hand when using this appendix.

2005-06 ILR F04 fields used in the widening participation derived statistics algorithms

3. Only certain fields, detailed in Table 10, will be used to generate the WP allocation fields.
4. Throughout this appendix, fields taken from the ILR F04 return or derived for the WP allocations are shown in capitals using the names given in Tables 10 and 11.

Using the individualised file

5. When working through this appendix it is necessary to use the individualised file IHWP05YYYYYY.ind, where YYYYYY is the provider number ST_UPIN (L01) for the college. Details of how to access this file are given in Annex B. This will show the allocation of students to cells within the tables and, where relevant, details of why they were excluded.

Table 10 ILR F04 fields likely to inform the widening participation allocations

Field code	Description	Name	Dataset	Column in individualised file*
L01	Provider number	ST_UPIN	Learner	A
L02	Contract/Allocation type	ST_ALLNO	Learner	C
L03	Learner reference number	ST_REF	Learner	D
L11	Date of birth	ST_DOB	Learner	Q
L17	Home postcode	ST_POSTC	Learner	S
L24	Country of domicile	ST_DOMIC	Learner	R
L29	Additional support	ST_SUPPA	Learner	T
A05	Sequence number	QA_SEQNO	Learning aim	E
A09	Learning aim reference	QA_AIM_R	Learning aim	BC
A11	Source of funding other than the LSC (occurs twice)	QA_FEHE1 / QA_FEHE2	Learning aim	M, N
A27	Learning start date	QA_ST_DA	Learning aim	O
A28	Learning planned end date	QA_EXP_E	Learning aim	P
H09	Learner instance number	HQ_NUMHU	HE	F
H11	Highest qualification on entry	HQ_QUAL_	HE	J

H13	Type of programme year	HQ_PYTYP	HE	K
H22	UCAS applicant number	HQ_UCAS	HE	L
H26	Number of A-levels	HQ_ALEVS	HE	U
H27	A/AS level score	HQ_A_LEV	HE	V
H28	Number of SCE Highers and CSYS	HQ_HIGHR	HE	W
H29	Scottish Higher points score	HQ_HIGHP	HE	X
H30	Number of vocational qualifications	HQ_VOCQU	HE	Y

* The individualised file IHWP05YYYYYY.ind, downloadable from the web (see Annex E for further details).

Description of derived fields

6. This section provides details of the derived fields in the individualised data file. These fields are used in calculating the WP allocations.

Table 11 **Derived fields used to inform the WP allocation**

Field name	Description	Paragraph	Column in individualised file*	WP Allocation(s) used in ‡
AGEGRP	Age group	14	AP	WA, IR
AHPTS	A-level/Scottish higher points	26	AZ	IR
CASWARD	2001 census ward of the student's home postcode	21	AY	WA
CRSELGTH	Length of course in years	7	AW	Dis.
DISALLOC	Flag indicating inclusion in numerator of disability allocation proportion calculation	11	AN	Dis.
DISPOP	Flag indicating inclusion in the disability allocation population	10	AM	Dis.
EDMQUIN	Educational attainment quintile of mature full-time student's 2001 census ward	23	AU	WA
EDPOPM	Flag indicating inclusion in mature full-time widening access allocation population	18	AR	WA
EDPOPPT	Flag indicating inclusion in part-time widening access allocation population	19	AS	WA
EDPTQUIN	Educational attainment quintile of part-time student's 2001 census ward	24	AV	WA

ENTQUAL	Grouping of student's highest qualification on entry	27	AJ	IR
ENTRANT	Flag indicating students in their first year of programme of study	12	AO	WA, IR
ENTRYAGE	Student's age on commencement of programme of study	13	BA	WA, IR
EQGRP	Entry qualification risk group	28	AH	IR
EQPOP	Flag indicating whether the student is in the population for the full-time improving retention allocation	25	AG	IR
EQWEIGHT	Entry qualification weighting	29	AI	IR
EXCLPC	Flag indicating whether postcode was mapped to census data	16	AX	WA
HEFCOL4 [†]	Flag indicating whether the student is included in Column 4	50	AE	All
HEFESFTE [†]	FTE for the year of programme of study	33	AC	Dis.
HEFEXCL [†]	Reason for exclusion from the HEFES population	41-42	I	All
HEFLEVEL [†]	Level of study	15	Z	All
HEFMODE [†]	Mode of study	14	AA	All
HEFQAIM [†]	Recognised as HE qualification aim	13	AB	All
HEFTYPE [†]	Fundability status	16	AD	All
HIGHQUAL	Flag indicating whether or not student has previously studied for their qualification aim	15	AF	WA
ILRKEY [†]	Unique learning aim identifier	12	G	All
PGDSA	Postgraduate DSA eligibility	9	AL	Dis.
STUBID [†]	Unique year of programme of study identifier	20-21	H	All
UGDSA	Undergraduate DSA eligibility	8	AK	Dis.
WARD6_C	1991 census ward of the student's home postcode	20	BB	WA
YNGPART	Flag indicating inclusion in young full-time widening access allocation population	17	AQ	WA
YNGQUIN	Participation quintile of young full-time student's 1991 census ward	22	AT	WA

* The individualised file IHWP05YYYYYY.ind, downloadable from the web (see Annex E for details).

[†] The algorithms for deriving these fields are given in Appendix 1.

‡ Dis. = Disability, IR = Improving Retention, WA = Widening Access

CRSELGTH (Column AW in individualised file IHWP05YYYYYY.ind)

7. The CRSELGTH field is the number of years between QA_ST_DA (A27) and QA_EXP_E (A28) rounded up.

UGDSA (Column AK in individualised file IHWP05YYYYYY.ind)

8. The UGDSA field indicates the Disabled Students Allowance (DSA) eligibility status for undergraduates, including students on Postgraduate Certificates of Education (PGCEs).

Value	Description	Definition
1	Undergraduate eligible for DSA	ST_DOMIC (L24) = 399, 599, 299, 099 and (HEFLEVEL = UGX, FD or HEFQAIM = PGCE) and (HEFMODE = FTS, SWOUT or (HEFMODE = PT and HEFESFTE ≥ 50))
0	Undergraduate ineligible for DSA	Otherwise

PGDSA (Column AL in individualised file IHWP05YYYYYY.ind)

9. The PGDSA field indicates the DSA eligibility status for postgraduates, excluding students on PGCEs.

Value	Description	Definition
1	Postgraduate eligible for DSA	ST_DOMIC (L24) = 399, 599, 299, 099 and HEFLEVEL = PGT and HEFQAIM ≠ PGCE and (QA_FEHE1 (A11A) ≠ 007 and QA_FEHE2 (A11B) ≠ 007) and ((HEFMODE = FTS, SWOUT and CRSELGTH ≥ 1) or (HEFMODE = PT and HEFESFTE ≥ 50))
0	Postgraduate ineligible for DSA	Otherwise

DISPOP (Column AM in individualised file IHWP05YYYYYY.ind)

10. The DISPOP flag indicates whether the student is likely to be included in the denominator of the disability allocation proportions.

Value	Description	Definition
1	Included in the denominator of the disability allocation proportions	HEFCOL4 = 1 and HEFTYPE = HOMEF, HOMEIF, HOMENF and (UGDSA = 1 or PGDSA = 1)
0	Not included in the denominator of the disability allocation proportions	Otherwise

DISALLOC (Column AN in individualised file IHWP05YYYYYY.ind)

11. The DISALLOC flag indicates whether the student is likely to be included in the numerator of the disability allocation proportion calculations.

Value	Description	Definition
1	Included in the numerator of the disability allocation proportions	DISPOP = 1 and ST_SUPPA (L29) = 71
0	Not included in the numerator of the disability allocation proportions	Otherwise

ENTRANT (Column AO in individualised file IHWP05YYYYYY.ind)

12. The ENTRANT field identifies students in their first year of programme of study.

Value	Description	Definition
1	Entrant	(HQ_PYTYP (H13) = 1 and QA_ST_DA (A27) ≥ 1 August 2005 and QA_ST_DA (A27) ≤ 31 July 2006) or (HQ_PYTYP (H13) ≠ 1 and QA_ST_DA (A27) ≥ 1 August 2004 and QA_ST_DA (A27) ≤ 31 July 2005)
0	Not an entrant	Otherwise

ENTRYAGE (Column BA in individualised file IHWP05YYYYYY.ind)

13. The ENTRYAGE field contains the student's age at the commencement of the programme of study. This is the number of years between (QA_ST_DA (A27) and ST_DOB (L11)) rounded up.

AGEGRP (Column AP in individualised file IHWP05YYYYYY.ind)

14. The AGEGRP field contains the student's age group using ENTRYAGE.

Value	Description	Definition
1	Young: Less than 21 years of age	ENTRYAGE < 21
2	Mature: Greater than or equal to 21 and less than 25 years of age	ENTRYAGE ≥ 21 and ENTRYAGE < 25
3	Mature: Otherwise	Otherwise

HIGHQUAL (Column AF in individualised file IHWP05YYYYYY.ind)

15. The HIGHQUAL field identifies students that have not previously obtained their qualification aim, or a higher qualification aim.

Value	Description	Definition
1	Student has not previously obtained their qualification aim, or a higher qualification aim	(HQ_QUAL_(H11)= 21, 22) or (HQ_QUAL_(H11) = 23 to 28, 31 and HEFQAIM = FIRST) or (HQ_QUAL_(H11) = 30 and HEFQAIM = FIRST, FOUDEG) or HQ_QUAL_(H11) = 29, 39 to 99
0	Student holds an equivalent or higher qualification aim	Otherwise

EXCLPC (Column AX in individualised file IHWP05YYYYYY.ind)

16. The EXCLPC flag indicates whether the student's home postcode (ST_POSTC)(L17) has been excluded from the mapping to 1991 and 2001 census ward data. Postcodes that are recognised as schools, prisons, hospitals and similar public institutions are excluded from the mapping.

YNGPART (Column AQ in individualised file IHWP05YYYYYY.ind)

17. The YNGPART flag indicates whether the student is likely to be included in the young, full-time widening access allocation population.

Value	Description	Definition
1	Included in young full-time widening access allocation population	EXCLPC = N and ST_DOMIC (L24) = 099, 299, 399, 599 and HEFTYPE = HOMEF and HEFCOL4 = 1 and AGEGRP = 1 and ENTRANT = 1 and HEFLEVEL = UGX, FD and HEFMODE = FTS
0	Not included in the population	Otherwise

EDPOPM (Column AR in individualised file IHWP05YYYYYY.ind)

18. The EDPOPM flag indicates whether the student is likely to be included in the mature, full-time widening access allocation population.

Value	Description	Definition
1	Included in mature full-time widening access allocation population	EXCLPC = N and ST_DOMIC (L24) = 399, 599 and HEFTYPE = HOMEF and HEFCOL4 = 1 and AGEGRP = 2, 3 and ENTRANT = 1 and HEFLEVEL = UGX, FD and HEFMODE = FTS
0	Not included in the population	Otherwise

EDPOPPT (Column AS in individualised file IHWP05YYYYYY.ind)

19. The EDPOPPT flag indicates whether the student is likely to be included in the part-time widening access allocation population.

Value	Description	Definition
1	Included in the part-time widening access allocation population	EXCLPC = N and ST_DOMIC (L24) = 399, 599 and HEFTYPE = HOMEF and HEFCOL4 = 1 and ENTRANT = 1 and HEFLEVEL = UGX, FD and HEFMODE = PT
0	Not included in the population	Otherwise

WARD6_C (Column BB in individualised file IHWP05YYYYYY.ind)

20. The WARD6_C field contains the 1991 census ward of the student's home postcode (ST_POSTC)(L17).

CASWARD (Column AY in individualised file IHWP05YYYYYY.ind)

21. The CASWARD field contains the 2001 census ward of the student's home postcode (ST_POSTC)(L17).

YNGQUIN (Column AT in individualised file IHWP05YYYYYY.ind)

22. The YNGQUIN field indicates the young participation quintile of the student's 1991 census ward (WARD6_C) and is only populated for students in the young full-time widening access population (YNGPART = 1). Values are 1 to 5, with 5 being the quintile of highest participation.

EDMQUIN (Column AU in individualised file IHWP05YYYYYY.ind)

23. The EDMQUIN field indicates the educational attainment quintile of the student's 2001 census ward (CASWARD) and is only populated for students in the mature full-time widening access population (EDPOPM = 1). Values are 1 to 5, with 5 being the quintile of highest educational achievement.

EDPTQUIN (Column AV in individualised file IHWP05YYYYYY.ind)

24. The EDPTQUIN field indicates the educational attainment quintile of the student's 2001 census ward (CASWARD) and is only populated for students in the part-time widening access population (EDPOPPT = 1). Values are 1 to 5, with 5 being the quintile of highest educational achievement.

EQPOP (Column AG in individualised file IHWP05YYYYYY.ind)

25. The EQPOP flag indicates whether the student was included in the calculation of the entry-qualification-based widening participation funding allocation.

Value	Description	Definition
1	Included in entry-qualification-based widening participation allocation	HEFCOL4 = 1 and ENTRANT = 1 and ST_DOMIC(L24) = 099, 299, 399, 599 and HEFTYPE = HOMEF, HOMEIF and HEFLEVEL = UGX, FD and HEFMODE = FTS, SWOUT
0	Not included in entry-qualification-based widening participation allocation	Otherwise

AHPTS (Column AZ in individualised file IHWP05YYYYYY.ind)

26. The AHPTS field contains the number of A-level or Scottish Higher points for the student. It is taken to be the maximum of the student's HQ_A_LEV(H27) and HQ_HIGHP(H29).

ENTQUAL (Column AJ in individualised file IHWP05YYYYYY.ind)

27. The ENTQUAL field contains the student's entry qualifications.

Value	Description	Definition
DEG	Degree and higher	HQ_QUAL_(H11) = 01 to 05, 10 to 13
OHE	Other HE	HQ_QUAL_(H11) = 15, 16, 21 to 25, 27, 28, 30
FOU	Foundation course	HQ_QUAL_(H11) = 29, 43
ACCESS	Access course	HQ_QUAL_(H11) = 44, 45, 48
AH	A-levels and Scottish Highers	HQ_QUAL_(H11) = 39 or (HQ_QUAL_(H11) = 40 and HQ_VOCQU(H30) ≠ 01 to 03, 97 and (HQ_ALEVS (H26) ≠ 98, 99, blank or HQ_HIGHR (H28) ≠ 98, 99, blank))
BACC	Baccalaureate	HQ_QUAL_(H11) = 42, 47
UNKNOWN	Unknown entry qualifications	HQ_QUAL_(H11) = 99
OTHER	Other and no formal qualifications	Otherwise

EQGRP (Column AH in individualised file IHWP05YYYYYY.ind)

28. The EQGRP field holds the entry-qualification risk group the student was assigned to.

Value	Description	Definition
Y_U	Young, unknown	ENTRYAGE < 21 and (ENTQUAL = UNKNOWN or (ENTQUAL = AH and AHPTS = 0 and HQ_UCAS (H22) ≠ 000000000))
Y_L	Young, low risk	ENTRYAGE < 21 and (ENTQUAL = DEG, BACC or (ENTQUAL = AH and AHPTS ≥ 19))
Y_M	Young, medium risk	ENTRYAGE < 21 and (ENTQUAL = FOU, OHE or (ENTQUAL = AH and ((AHPTS ≥ 9 and AHPTS < 19) or (AHPTS = 0 and HQ_UCAS (H22) = 000000000))))
Y_H	Young, high risk	ENTRYAGE < 21 and not in Y_U, Y_L or Y_M above
M_U	Mature, unknown	ENTRYAGE ≥ 21 and (ENTQUAL = UNKNOWN or (ENTQUAL = AH and AHPTS = 0 and HQ_UCAS (H22) ≠ 000000000))
M_L	Mature, low risk	ENTRYAGE ≥ 21 and (ENTQUAL = DEG or (ENTQUAL = AH and AHPTS > 24))
M_M	Mature, medium risk	ENTRYAGE ≥ 21 and (ENTQUAL = OHE, FOU, ACCESS or (ENTQUAL = AH and (AHPTS ≤ 24 or (AHPTS = 0 and HQ_UCAS (H22) = 000000000))))
M_H	Mature, high risk	ENTRYAGE ≥ 21 and not in M_U, M_L or M_M above

EQWEIGHT (Column AI in individualised file IHWP05YYYYYY.ind)

29. The EQWEIGHT field holds the weight for the entry-qualification-based widening participation allocation.

Value	Definition
0	EQGRP = Y_U, Y_L, M_U, M_L
1	EQGRP = Y_M
1.5	EQGRP = Y_H, M_M
2.5	EQGRP = M_H